<u>What two steps</u> would you need to do, given the following situation as you see it on the Timeline here, so that the <u>Tulip\_5.jpg layer</u> would have its <u>IN point</u> starting at 6 seconds and 20 frames (about 6 2/3 seconds is where CTI is) instead of just before the 4 second mark? BE SPECIFIC please.

03c-Sequence - trim_final ×						
<u>0:00:06:20</u>	. 🖻 🍖 🛥 🗊 🥏 🛱	1:00s 02s 04s	30 <del>(</del> 260	s 10s	12s 14s	16s
🛷 # Source Name	│-₱- \$` \_ fx (目 & @ �) ● 🔒	a 🛛 📋				
🔻 🔳 1 🛛 🐏 Tulip_1.jpg	. <u>+.</u> Z 🖭					<b>2</b>
- 🙋 🗠 Opacity	0% ∢ ♦ ►				<u>x</u> 🔶	
🔻 📕 2 📲 Tulip_3.jpg	<u>+ / ©</u>					
🕐 🗠 Opacity	0%		<	>		
🔻 🔳 3 🔮 Tulip_5.jpg	<u>-₽-</u> <u>●</u> <u>●</u> 100 % • • •		_			
🛛 🕑 🗠 Opacity 🔻 📕 4 🛛 🐏 Tulip_6.jpg	100 % • • •	↓	X			
→ → → → → → → → → → → → → → → → → → →	100 %		line line line line line line line line			
			л. 			<b>V</b>
© • ↔	Toggle Switches / Modes			Gooale Desktop inde	ex update in progress. O°	% complete.
03c-Sequence - trim_final ×						
			4			
03c-Sequence - trim_final × 0:00:06:20	■ >-€. 🖻 * <sub>0</sub> _	• # Ø 🔊 ኳ	4 1:00s 02:	s 04s	06s 🤠	08s
0:00:06:20		- mm	1:00s 02:	s 04s	06s	08s 1
0:00:06:20	■ >-( @ * <sub>0</sub> 4  +· * \ fx @ (	- mm	1 1:00s 02: 1	s 04s	06s 🤫	08s
0:00:06:20		- mm	d 1:00s 02: 1	s 04s	06s 🤫	280 I
0:00:06:20	-+·★ \ fx 囲 (	₽₽♥  ®¶●₿	4 1:00s 02: 0	s 04s	06s 🦷	085
0:00:06:20 🔎	++ * \ fx 囲∢ -+ ∠		1 1:00s 02: 1	s 04s	06s	085
0:00:06:20  # Source Name 1 % Tulip_1.jpg  & Copacity	+ + × \ fx 囲∢ +- ∠ 0%		1 1;00s 02; 1	s 04s	06s 🤫	085
0:00:06:20  # Source Name 1 # Tulip_1.jpg  Descrip 2 # Tulip_3.jpg	++ ☆ \ fx 囲∢ +- ∠ 0% +- ∠		4 1:00s 02: 1	s 04s	06s (*)	
0:00:06:20 # Source Name 1 ♣ Tulip_1.jpg © ► Opacity 2 ♣ Tulip_3.jpg © ► Opacity 3 ♣ Tulip_5.jpg	++ * \ fx 目 ( -+- / 0.% -+- / 0.%		4 1:00s 02: 1	s 04s	06s	
0:00:06:20  # Source Name 1 Dip_1.jpg  Discrete Content 2 Discrete Content 2 Discrete Content 2 Discrete Content 3 Discrete Content Discrete C	-+- ☆ \ fx 翻 《 -+- ∠ 0.% -+- ∠ 0.% -+- ∠		4 1:00s 02: 1			
0:00:06:20	+		4 1:00s 02: 1 1			
0:00:06:20  # Source Name 1 Dip_1.jpg  Discrete Content 2 Discrete Content 2 Discrete Content 2 Discrete Content 3 Discrete Content Discrete C	+ + + 大田 - + / 0.% / 0.% / 100.%					

- 2. How do you change the end of the PLAYBACK RANGE to where the CTI is currently positioned, using a keyboard shortcut to do it? What keystroke, in other words?
- Which of the following is produced by rendering our After Effects COMP so we can publish it up to sunny.uni.edu? Which <u>one</u> is produced by the AFTER EFFECTS software? Choose the ONE best answer please.

FLV SWF HTML FLA

- 4. Which file type would contain the FLVPlayback component, so that you can see your project and other students projects on sunny. <u>Circle the two best answers</u>.
  - FLV SWF HTML FLA
- 5. Which <u>one</u> file does NOT have to be uploaded to sunny.uni.edu because it is useless for all web browsers.
  - FLV SWF HTML FLA
- 6. What is the specific keyboard shortcut for trimming the the Tulip5 layer to where the CTI currently is positioned? (See the following screen snapshot).

<ul> <li>Solids</li> <li>Sources</li> <li>Sources</li> <li>Sources</li> </ul>	■ (67.8%) ▼ 垚 〇 0:00:04:22 ■ ▲ ④ Full ▼ ■ 题 Active Camera	Paint ▼Perspective a 3D Glasses a Bevel Alpha
🗄 03c-Sequence - trim*starter 🛛 🛛		📱 🗄 Paragraph × 💦 📲 📳
0:00:04:22 🔎 🛏 🕅 🍖	👁 🏢 🥏 💭 🐯	
🎻 # Source Name - P- $\doteqdot$ $\searrow$ $f_X$	₽₽₽♥ ●+D + B	→= 0.px →= 0.px →= 0.px
🕨 🔳 1 🐏 Tulip_1.jpg 🛛 🕂 🖊		≩l+ <sup>0.px</sup> _≣ 0.px
🕨 🔳 2 📲 Tulip_3.jpg 🛛 🕂 🖊		
🕨 🔳 3 🐏 Tulip_5.jpg 🛛 💀 🖊		
▶ 🔳 4 🐏 Tulip_6.jpg 🛛 🕂 🖊		

7. Which of the following would create the most noticeable changes?

wiggle(30, 3) wiggle(100, 3)